


0130822494

# FPG2 Single-stage flat motor with Transmission




- **Degree of protection:** IP 54
- **Operating mode:** S2
- **Rotation direction:** Left and right rotation
- **Nominal voltage:** 24 V

[Contact us!](#)


## Product Specification

### Technical data and performance curve



**Nominal power (W):** 8,2

**Nominal current (A):** 3

**Nominal speed (rpm):** 78,5

**Nominal torque (Nm):** 1

**Stall torque (Nm):** 13,7

**Transmission ratio:** 73:1

**Hall Sensor:** 2x


**Transmission position:** Right

Product images and pictures are for demonstration purposes only, the actual product may differ from the picture shown. The quotation drawing is binding.

Robert Bosch GmbH, Auf der Breit 4, 76227 Karlsruhe, Germany [www.bosch-ibusiness.com](http://www.bosch-ibusiness.com)




## Dimensions




Please contact us if you need a 3d model

[Contact](#)

## Circuit diagram




## Circuit diagram



---

### Connector



#### Housing:

Yazaki 7287-1116-30

#### Locker:

-

#### PIN:

LEAR MDK 3 PLUS 26628.331.179

---

### Drive interface



DIN 5481 - 21x24

---

### Downloads

You may also be interested in:

To Product family: [Catalogue](#)

